

marset

News 2025
Pricelist





Ambrosia Pro 120

Code	Finish	CCT	Price
A704-200-1516-30K	Matt Gold	30K	1075 €
A704-200-1516-40K	Matt Gold	40K	1075 €
A704-200-1716-30K	Aluminium	30K	1075 €
A704-200-1716-40K	Aluminium	40K	1075 €
A704-200-1616-30K	Black	30K	1075 €
A704-200-1616-40K	Black	40K	1075 €

Materials

Structure: Aluminium

Canopy: Aluminium / Steel

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: DALI

Product type: Pendant / Ceiling

Light source Ambrosia Pro 30K: LED SMD 1000mA 34,81W 3000K CRI90

Luminaire Ambrosia Pro 30K: 110-240 VAC DALI 40W

Light source Ambrosia Pro 40K: LED SMD 1000mA 34,81W 4000K CRI90

Luminaire Ambrosia Pro 40K: 110-240 VAC DALI 40W


Product notes: Canopy and power supply included.

Casambi available upon under request. Opening degrees: 60°.

The height can be increased by means of the 40 or 60 cm poles (max. 3 units.)

They can be combined.

LED included



Dimmable



UK
CA



ERC

Ambrosia Pro 120 + Pole 60



A704-200-1716-30K

Wire installation: Hardwired / Recessed

Ambrosia Pro 180


Code	Finish	CCT	Price
A704-201-1516-30K	● Matt Gold	30K	1195 €
A704-201-1516-40K	● Matt Gold	40K	1195 €
A704-201-1716-30K	● Aluminium	30K	1195 €
A704-201-1716-40K	● Aluminium	40K	1195 €
A704-201-1616-30K	● Black	30K	1195 €
A704-201-1616-40K	● Black	40K	1195 €

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Canopy: Aluminium / Steel	Dimming protocols: DALI, Casambi

Product type: Pendant / Ceiling
Light source Ambrosia Pro 30K: LED SMD 1000mA 52,5W 3000K CRI90
Luminaire Ambrosia Pro 30K: 110-240 VAC DALI 58,5W

Light source Ambrosia Pro 40K: LED SMD 1000mA 52,5W 4000K CRI90
Luminaire Ambrosia Pro 40K: 110-240 VAC DALI 58,5W

Product notes: Canopy and power supply included.
Casambi available upon under request. Opening degrees: 60°.
The height can be increased by means of the 40 or 60 cm poles (max. 3 units.)
They can be combined.
LED included



Dimmable



Wire installation: Hardwired / Recessed



A704-201-1516-30K

Pole Ambrosia 40

Code	Finish	Price
A704-005-16	● Black	39 €

Materials
Structure: Metal

Product type: Accessory



Pole Ambrosia 60

Code	Finish	Price
A704-006-16	● Black	43 €

Materials
Structure: Metal

Product type: Accessory



Caramel, Joan Gaspar

Caramel collection surprises with its material beauty, as though it were an illuminated sculpture. This wall lamp by Joan Gaspar uses glass of a clearly decorative nature to create a circular form that envelops the light. A design that gives full prominence to

the aesthetics of this hard, shiny material: when illuminated, it pulsates with life, and when turned off, it creates a graphic play on the wall. Caramel emits diffused, soft, and warm reflecting light.





Caramel 22

Code	Finish	Dimming	Price
A726-001-51-27K	○ Opal	Triac	275 €
A726-001-57-27K	● Green	Triac	275 €
A726-001-58-27K	● Blue	Triac	275 €
A726-001-59-27K	● Brown	Triac	275 €
A726-004-51-27K	○ Opal	DALI-2	365 €
A726-004-57-27K	● Green	DALI-2	365 €
A726-004-58-27K	● Blue	DALI-2	365 €
A726-004-59-27K	● Brown	DALI-2	365 €

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Trailing edge (Triac)
DALI-2

Product type: Wall
Light source: LED SMD 500mA 8,6W 2700K CRI90 1146lm
Luminaire: 220 - 240 VAC TRIAC 581lm
Luminaire: 120 - 240 VAC DALI 581lm
Weight: Net 1,6 kg – Gross 3 kg
Package: 32 x 36,5 x 20,5 cm - 1,6 kg – VOL - 0,02 m³
LED included




Dimmable

CE

ERC

UK
CA

Wire installation: Hardwired



A726-001-59-27K


Caramel 28

Code	Finish	Dimming	Price
A726-002-51-27K	○ Opal	Triac	325 €
A726-002-57-27K	● Green	Triac	325 €
A726-002-58-27K	● Blue	Triac	325 €
A726-002-59-27K	● Brown	Triac	325 €
A726-005-51-27K	○ Opal	DALI-2	415 €
A726-005-57-27K	● Green	DALI-2	415 €
A726-005-58-27K	● Blue	DALI-2	415 €
A726-005-59-27K	● Brown	DALI-2	415 €

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Trailing edge (Triac)
DALI-2

Product type: Wall
Light source: LED SMD 500mA 11,5W 2700K CRI90 1528lm
Luminaire: 220 - 240 VAC TRIAC 1053lm
Luminaire: 120 - 240 VAC DALI 1053lm
Weight: Net 2,3 kg – Gross 4,1 kg
Package: 38 x 42,5 x 20,5 cm - 2,3 kg – VOL - 0,03 m³
LED included



Wire installation: Hardwired



A726-002-58-27K


Caramel 38

Code	Finish	Dimming	Price
A726-003-51-27K	○ Opal	Triac	405 €
A726-003-57-27K	● Green	Triac	405 €
A726-003-58-27K	● Blue	Triac	405 €
A726-003-59-27K	● Brown	Triac	405 €
A726-006-51-27K	○ Opal	DALI-2	495 €
A726-006-57-27K	● Green	DALI-2	495 €
A726-006-58-27K	● Blue	DALI-2	495 €
A726-006-59-27K	● Brown	DALI-2	495 €

Materials
Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Trailing edge (Triac)
DALI-2

Product type: Wall
Light source: LED SMD 500mA 11,5W 2700K CRI90 1528lm
Luminaire: 220 - 240 VAC TRIAC 1035lm
Luminaire: 120 - 240 VAC DALI 1035lm
Weight: Net 4,1 kg – Gross 6,6 kg
Package: 48 x 52,5 x 20,5 cm - 4,1 kg – VOL - 0,05 m³
LED included



Wire installation: Hardwired



A726-003-57-27K


Caramel Accessory x2

Code	Finish	Price
A726-007-15	● Black	140 €
A726-007-16	● Matt Gold	140 €

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory for connecting several luminaires to a single light point. Only compatible with Triac versions.

Weight: Net 0,4 kg – Gross 0,6 kg
Package: 12 x 51,5 x 5,5 cm - 0,6 kg – VOL - 0,003 m³



A726-007-16 / A726-002-57-27K / A726-003-58-27K


Caramel Accessory x3

Code	Finish	Price
A726-008-15	● Black	235 €
A726-008-16	● Matt Gold	235 €

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory for connecting several luminaires to a single light point. Only compatible with Triac versions.

Weight: Net 0,6 kg – Gross 1,4 kg
Package: 28 x 86,5 x 5,5 cm - 1,4 kg – VOL - 0,01 m³



A726-008-15/ A726-002-57-27K / A726-002-59-27K/ A726-001-51-27K

Architecture, lines and distinctiveness. A bollard light that reveals its empty interior. When switched off, it communes with the natural light and fills with nuances. When switched on, its own light enriches the space, reminiscent of a house with its lights

on inside. A design whose form plays with the light and conceals it, functioning individually but taking on a sculptural feel in combinations.




Domus B26

Code	Finish	Price
A734-003-31-27K	● Rust Brown	290 €
A734-003-35-27K	● White (RAL 9003)	290 €
A734-003-39-27K	● Black (RAL 9005)	290 €

Materials	Dimmable: Yes
Body: Aluminium	Integrated dimmer: No
Base: Stainless Steel	Dimming protocols: Phase cut (ELV)

Product type: Bollard
Light source: LED COB 6W 350mA 2700K CRI90 505lm

Weight: Net 1,3 kg – Gross 1,9 kg
Package: 10 x 20 x 35 cm – 1,9 kg Vol – 0,007 m³
LED included



Dimmable



IP65



A734-003-31-27K


Domus B37

Code	Finish	Price
A734-002-31-27K	● Rust Brown	315 €
A734-002-35-27K	● White (RAL 9003)	315 €
A734-002-39-27K	● Black (RAL 9005)	315 €

Materials	Dimmable: Yes
Body: Aluminium	Integrated dimmer: No
Base: Stainless Steel	Dimming protocols: Phase cut (ELV)

Product type: Bollard
Light source: LED COB 6W 350mA 2700K CRI90 505lm

Weight: Net 1,6 kg – Gross 2,3 kg
Package: 10 x 20 x 45 cm – 2,3 kg Vol – 0,009 m³
LED included



Wire installation: Hardwired



A-734-002-35-27K


Domus B55

Code	Finish	Price
A734-001-31-27K	● Rust Brown	348 €
A734-001-35-27K	● White (RAL 9003)	348 €
A734-001-39-27K	● Black (RAL 9005)	348 €

Materials	Dimmable: Yes
Body: Aluminium	Integrated dimmer: No
Base: Stainless Steel	Dimming protocols: Phase cut (ELV)

Product type: Bollard
Light source: LED COB 6W 350mA 2700K CRI90 505lm

Weight: Net 2,15 kg – Gross 3 kg
Package: 10 x 20 x 63 cm – 3 kg Vol – 0,0126 m³
LED included



Wire installation: Hardwired




A734-001-39-27K

Ground fixation plate x1

Code	Finish	Price
A734-043	● Stainless steel	39 €

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,15 kg
Package: 19,5 x 29 x 1,7 cm – VOL - 0,001 m3




Ground fixation plate x2

Code	Finish	Price
A734-041	● Stainless steel	69 €

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,30 kg
Embalaje: 31 x 31 x 1,7 cm – VOL - 0,002 m3




Ground fixation plate x3

Code	Finish	Price
A734-042	● Stainless steel	109 €

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,45 kg
Embalaje: 30,5 x 34,5 x 1,7 cm – VOL - 0,002 m3



Bold, transparent and organic. A rounded geometric shape that resembles a great block of ice. This lamp, designed for large spaces, is surprising for its material, a transparent polycarbonate capable of creating optical reflections. Contrasting

interplay between light and matter, forcefulness and lightness, presence and transparency.




Ringo 70

Code	Finish	Dimming	Price
A732-005-53-3CCT	Smoked	Triac	2279 €
A732-005-62-3CCT	Dark smoked	Triac	2279 €
A732-005-63-3CCT	Rosé	Triac	2279 €
A732-005-57-3CCT	Green	Triac	2279 €
A732-006-53-3CCT	Smoked	DALI	2310 €
A732-006-62-3CCT	Dark smoked	DALI	2310 €
A732-006-63-3CCT	Rosé	DALI	2310 €
A732-006-57-3CCT	Green	DALI	2310 €

Materials	Dimmable: Yes
Shade: Rotomoulded polycarbonate	Integrated dimmer: No
Diffuser: Opal methacrylate	Dimming protocols: Phase cut (Triac) DALI

Product type: Pendant
Light source: LED SMD 700mA 26,82W 2700K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2363lm 220 - 240 VAC DALI 29,92W 2363lm
Light source: LED SMD 700mA 26,10W 3000K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2593lm 220 - 240 VAC DALI 29,92W 2593lm
Light source: LED SMD 700mA 26,82W 4000K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2603lm 220 - 240 VAC DALI 29,92W 2603lm

Weight: Net 11,68 kg – Gross 19,62 kg
Package: 82 x 82 x 41,5 cm – 19,62 kg Vol – 0,279 m3
LED included



Dimmable

CE

EAC

UK

CA

Cable length: 2,5 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A732-005-62-3CCT

Ringo 70 C


Code	Finish	Dimming	Price
A732-001-53-3CCT	Smoked	Triac	1972 €
A732-001-62-3CCT	Dark smoked	Triac	1972 €
A732-001-63-3CCT	Rosé	Triac	1972 €
A732-001-57-3CCT	Green	Triac	1972 €
A732-002-53-3CCT	Smoked	DALI	1996 €
A732-002-62-3CCT	Dark smoked	DALI	1996 €
A732-002-63-3CCT	Rosé	DALI	1996 €
A732-002-57-3CCT	Green	DALI	1996 €

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling
Light source: LED SMD 700mA 26,82W 2700K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2363lm
220 - 240 VAC DALI 29,92W 2363lm
Light source: LED SMD 700mA 26,10W 3000K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2593lm
220 - 240 VAC DALI 29,92W 2593lm
Light source: LED SMD 700mA 26,82W 4000K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2603lm
220 - 240 VAC DALI 29,92W 2603lm

Weight: Net 10,16 kg – Gross 18,1 kg
Package: 82 x 82 x 41,5 cm – 18,1 kg Vol – 0,279 m3
LED included



Ringo 70 C Fixed Stem

A732-001-57-3CCT


Code	Finish	Dimming	Price
A732-009-53-3CCT	Smoked	Triac	2225 €
A732-009-62-3CCT	Dark smoked	Triac	2225 €
A732-009-63-3CCT	Rosé	Triac	2225 €
A732-009-57-3CCT	Green	Triac	2225 €
A732-010-53-3CCT	Smoked	DALI	2265 €
A732-010-62-3CCT	Dark smoked	DALI	2265 €
A732-010-63-3CCT	Rosé	DALI	2265 €
A732-010-57-3CCT	Green	DALI	2265 €

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate
Structure: Black painted Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling
Light source: LED SMD 700mA 26,82W 2700K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2363lm
220 - 240 VAC DALI 29,92W 2363lm
Light source: LED SMD 700mA 26,10W 3000K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2593lm
220 - 240 VAC DALI 29,92W 2593lm
Light source: LED SMD 700mA 26,82W 4000K CRI90
Luminaire: 220 - 240 VAC TRIAC 29,87W 2603lm
220 - 240 VAC DALI 29,92W 2603lm

Weight: Net 11,02 kg – Gross 18,96 kg
Package: 82 x 82 x 41,5 cm – 18,96 kg Vol – 0,279 m3
LED Included.



A732-009-63-3CCT


Ringo 90

Code	Finish	Dimming	Class	Price
A732-007-53-3CCT	Smoked	Triac	I	2997 €
A732-007-62-3CCT	Dark smoked	Triac	I	2997 €
A732-007-63-3CCT	Rosé	Triac	I	2997 €
A732-007-57-3CCT	Green	Triac	I	2997 €
A732-008-53-3CCT	Smoked	DALI	II	2997 €
A732-008-62-3CCT	Dark smoked	DALI	II	2997 €
A732-008-63-3CCT	Rosé	DALI	II	2997 €
A732-008-57-3CCT	Green	DALI	II	2997 €

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Pendant
Light source: LED SMD 1400mA 49,74W 2700K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 4746lm
220 - 240 VAC DALI 54,82W 4746lm
Light source: LED SMD 1400mA 48,69W 3000K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 5090lm
220 - 240 VAC DALI 54,82W 5090lm
Light source: LED SMD 1400mA 49,29W 4000K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 5101lm
220 - 240 VAC DALI 54,82W 5101lm
Weight: Net 19,52 kg – Gross 30,86 kg
Package: 102 x 102 x 45 cm – 30,86 kg Vol – 0,468 m3
LED included



Dimmable



Cable length: 2,5 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Ringo 90 C

A732-007-53-3CCT


Code	Finish	Dimming	Class	Price
A732-003-53-3CCT	Smoked	Triac	I	2792 €
A732-003-62-3CCT	Dark smoked	Triac	I	2792 €
A732-003-63-3CCT	Rosé	Triac	I	2792 €
A732-003-57-3CCT	Green	Triac	I	2792 €
A732-004-53-3CCT	Smoked	DALI	II	2792 €
A732-004-62-3CCT	Dark smoked	DALI	II	2792 €
A732-004-63-3CCT	Rosé	DALI	II	2792 €
A732-004-57-3CCT	Green	DALI	II	2792 €

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling
Light source: LED SMD 1400mA 49,74W 2700K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 4746lm
220 - 240 VAC DALI 54,82W 4746lm
Light source: LED SMD 1400mA 48,69W 3000K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 5090lm
220 - 240 VAC DALI 54,82W 5090lm
Light source: LED SMD 1400mA 49,29W 4000K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 5101lm
220 - 240 VAC DALI 54,82W 5101lm

Weight: Net 18 kg – Gross 29,54 kg
Package: 102 x 102 x 45 cm – 29,54 kg Vol – 0,468 m3
LED included



Dimmable



Wire installation: Hardwired



A732-003-62-3CCT

Ringo 90 C Fixed Stem


Code	Finish	Dimming	Class	Price
A732-011-53-3CCT	● Smoked	Triac	I	2918 €
A732-011-62-3CCT	● Dark smoked	Triac	I	2918 €
A732-011-63-3CCT	● Rosé	Triac	I	2918 €
A732-011-57-3CCT	● Green	Triac	I	2918 €
A732-012-53-3CCT	● Smoked	DALI	II	2918 €
A732-012-62-3CCT	● Dark smoked	DALI	II	2918 €
A732-012-63-3CCT	● Rosé	DALI	II	2918 €
A732-012-57-3CCT	● Green	DALI	II	2918 €

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate
Structure: Black painted Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling
Light source: LED SMD 1400mA 49,74W 2700K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 4746lm
220 - 240 VAC DALI 54,82W 4746lm
Light source: LED SMD 1400mA 48,69W 3000K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 5090lm
220 - 240 VAC DALI 54,82W 5090lm
Light source: LED SMD 1400mA 49,29W 4000K CRI90
Luminaire: 220 - 240 VAC TRIAC 53,13W 5101lm
220 - 240 VAC DALI 54,82W 5101lm

Weight: Net 18,9 kg – Gross 30,4 kg
Package: 102 x 102 x 45 cm – 30,4 kg Vol – 0,468 m3
LED included



Dimmable



ERC



Product notes: The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.
Wire installation: Hardwired
Canopy color: Black



A732-011-57-3CCT

Pole Ringo 40

Code	Finish	Price
A732-013	● Black	142 €

Materials
Structure: Metal

Product type: Accessory



Pole Ringo 60

Code	Finish	Price
A732-014	● Black	150 €

Materials
Structure: Metal

Product type: Accessory





Roc Mini

Code

A701-510-35-27K

A701-510-39-27K

Finish

● White (RAL 9003)

● Black (RAL 9005)

Price

187 €

187 €

Materials

Structure: Aluminium

Shade: Pressed glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Product type: Wall / Ceiling


Light source: LED SMD 24Vdc 2,9W 2700K CRI90 354lm

Luminaire: (Power supply not included)

Weight: Net 0,52 kg – Gross 0,68 kg

Package: 12 x 12 x 13,5 cm – 0,68 kg Vol – 0,0019 m3

LED included



Dimmable

IP65



Wire installation: Hardwired

Accessory: Filter to improve glare (Included).

Power supply Dimmable

Code	Description	Dimming	Class	Price
968-223-23	20W - 24V	Triac	II	68 €
968-262	50W - 24V	Triac	II	77 €
968-227	35W - 24V	DALI	II	147 €
968-206	60W - 24V	DALI	II	176 €




A701-511-39-27K

Roc

Code	Finish	Price
A701-500-35-27K	● White (RAL 9003)	296 €
A701-500-39-27K	● Black (RAL 9005)	296 €
Materials		
Structure: Aluminium	Dimmable: Yes	
Shade: Pressed glass	Integrated dimmer: No	
	Dimming protocols: Phase cut (Triac)	

Product type: Wall / Ceiling
Light source: LED SMD 500mA 7,1W 2700K CRI90 899lm
Luminaire: 220-240 VAC TRIAC

Weight: Net 1,64 kg – Gross 2,03 kg
Package: 19 x 19 x 19 cm – 2,03 kg Vol – 0,0069 m3
LED included



Wire installation: Hardwired
Accessory: Filter to improve glare (Included).




A701-500-39-27K

Roc Plus

Code	Finish	Price
A701-502-35-27K	● White (RAL 9003)	327 €
A701-502-39-27K	● Black (RAL 9005)	327 €
Materials		
Structure: Aluminium	Dimmable: Yes	
Shade: Pressed glass	Integrated dimmer: No	
	Dimming protocols: Phase cut (Triac)	

Product type: Wall / Ceiling
Light source: LED SMD 500mA 8,3W 2700K CRI90 1146lm
Luminaire: 220-240 VAC TRIAC

Weight: Net 2,40 kg – Gross 2,86 kg
Package: 22,5 x 22,5 x 19 cm – 2,86 kg Vol – 0,0096 m3
LED included



Wire installation: Hardwired
Accessory: Filter to improve glare (Included).



A701-502-39-27K

IP65

Electric fittings are preset in order to prevent the intrusion and contact with solids and liquids with live parts. Resistance against the penetration of solids and liquids is expressed by the initials IP, followed by two digits that stand for the degree of protection: the first referring to solids, the second to liquids.



Dimmer on the unit.



Product which can be dimmed.



Product with an additional protection cable (grounds).



Basic insulation plus second insulation or both replaced by reinforced insulation. Earthing: excluded.



Very low safety supply voltage; not to be used at over 12V (at 50Hz). Earthing: excluded.



All products are manufactured according to the set safety and electromagnetism standards of Europe: EN 60598-1, EN 60598-2-1 and marked CE.



Product complying with TR TC 004/2011 and TP TC 020/2011. Custom Union Regulation.



Product complying with UK Conformity Assessment.

Availability

Status / Availability Date:	Model(s):
Available	Caramel
June 2025	Ambrosia Pro, Domus, Ringo, Roc

Sales Terms

Recommended retail price list, excluding VAT.

Provisional internal document, subject to change. Non-binding.

**Milan Showroom**

Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it

Factory & Headquarters

Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marset.com

Marset USA Inc.

202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marsetusa@marset.com

Portugal Showroom

R. da Aliança 369
4250-029 Porto
T. +351 934 705 605
mail@design-minder.com

